

ISE Cards India Ltd. Company Profile:



We would like to introduce ourselves ISE Cards India Ltd, a joint venture with ISE Cards, Inc. USA dealing in various products, We innovated most Reliable, Innovative, Economical and Quality Oriented Technology in the History of Printing in India which helps to user through various ways its detail are given below.



- It Reduces the Cost of Printing up to 90%.
- It gives excellent Quality Printing better then the your existing Cartridges
- Easiest Process to input ink in to system.
- No complicated Technicalities.
- Continuous Flow System.
- Non Stop Printing Solution.
- Cheapest Printing Solution In The World.



InkPlus CISS Printer:



An **InkPlus** (CISS) Continuous Ink supply System, also known as a continuous flow system (CFS), is a method for delivering a large and practically unlimited volume of liquid ink to a comparatively small inkjet print-head.

Many business and professional grade printers incorporate a continuous flow system in their design to increase the speed and volume of printing capacity. Some aftermarket companies also build retrofit accessories to convert certain models of consumer-grade printers into continuous flow systems.



Comparison:



Most low-cost consumer printers place small ink tanks directly on the carriage with the print heads. These tanks can have extremely small liquid volumes, as low as 10 ML, and consequently require frequent replacement. More expensive business-grade printers use progressively larger ink tanks on the print head, but as the platen width and speed of the printer increases it eventually becomes impractical to have the tanks integrated with the print-heads due to the high mass and inertia the liquid volume adds to the print-heads and the reduced accuracy of printing that occurs.



InkPlus CP - 1234

Separating the ink storage from the printhead also allows the tank to be refilled or replaced while a print job is in progress.
 With ink tanks located on the printhead, replacement typically requires reprising and alignment checks that necessarily require aborting any current print job.
 Separated ink tanks can be refilled or reprised without disrupting a very large or expensive printing task.

InkPlus PSC - 1238

Model: CP - 1234



InkPlus CISS Printer Model-Wise Features

InkPlus CP -- 1234 (Normal Printer)

InkPlus PSC -- 1238 (Print,Scan,Copy)

InkPlus M -- 1240 (With MC Slot)

InkPlus A -- 1242 (A3-Normal)

Inkplus PSC -- 1245 (A4-High Speed)

Inkplus PSCFW -- 1250 (A3-With WI-FI)

Choose your best partner from ISE Cards Inkjet CISS Printers all-in-ones, with black & white, color capabilities to meet a variety of home office or business workgroup requirements. Reliably high-speed prints, super sharp resolutions and office-ready features such as networking and security functions produce professional-looking documents and brilliant photos you can be proud of, in one compact, space-saver unit.





Model: CP - 1234



The InkPlus CP-1234 combines quality and speed for easy photo printing at home. 2pl ink droplets, 4800×1200 dpi resolution and Chromalife 100+ ensure crisp, sharp text and color printing that lasts. Color inkjet printer Media: A4, Letter and more Prints a 4×6 " borderless photo in 55secs.



InkPlus CP - 1234

Print					
Speed*1	Black & White: A4 Plain Paper:	ESAT: 7.0ipm			
Based on ISO / IEC 24734.	Colour: A4 Plain Paper:	ESAT: 4.8ipm			
Speed Measurement Conditions	Photo (4 x 6"): PP-201 / Standard / Borderless	55secs.			
Resolution (dpi)*2	4800 x 1200dpi (max.)				
Min. Ink Droplet Size	2pl				
Number of Nozzles	1472				
Cartridge Type	PG-810, CL-811 (PG-810XL, CL811XL Optional)				
Printable Width	Up to 203.2mm (8-inch)				
	Borderless:	Up to 216mm (8.5-inch)			
Recommended Printing Area	Top margin:	31.2mm			
	Bottom margin:	32.5mm			
Applicable Media Sizes	A4, Letter, Legal, A5, B5, Envelopes (DL, COM10), 4 x 6", 5 x 7", 8 x 10"				
Borderless Photo	4 x 6" / 8 x 10" / A4				

Model : PSC – 1238





Printers & Scanners, Copier

InkPlus PSC- 1238

Choose your best partner from InkPlus Inkjet CISS Printer (Printers & Scanners, Copier InkPlus PSC-1238 All In 1 Printer), with black & white, color capabilities to meet a variety of home office or business workgroup requirements. Reliably high-speed prints, super sharp resolutions and office-ready features such as networking and security functions produce professional-looking documents and brilliant photos you can be proud of, in one compact, space-saver unit.

Model: PSC - 1238



The InkPlus PSC-1238 combines quality and speed for easy photo printing at ho

Print :-

- New ISO / IEC 24734 standard for print speed
- ISO Standard print speed (ESAT): approx. 7.0ipm mono / approx. 4.8ipm colc
- 2pl (min.) ink droplets and 4800 x 1200dpi (max.) resolution
- 4 x 6" (4R) borderless photo in approx. 56secs.
- Capable of printing borderless photos up to A4 size
- ChromaLife100+ technology photos can last up to 300 years
- Hybrid system pigment black ink ensures sharp black text and lines even when printed over an image.



InkPlus PSC- 1238



Model: M - 1240



Scan:-

- 600 x 1200dpi CIS
- Scanning Bit Depth at up-to 48bit (input) / 24bit (output)
- Auto Scan Mode allows automation of your scanning and saving procedures to three short steps



InkPlus M - 1240

Copy:-

- New ISO / IEC 24735 Annex D standard for copy speed
- Copy speed (Continuous Copy): approx. 6.3cpm mono / approx. 2.7cpm color
- Reproduces identical second generation photos & document with Dual Color Gamut Processing. Technology.



Model: M - 1240

PRINTING SOLUTIONS www.inkplus.co.in

Print

- New ISO / IEC 24734 standard for print speed
- Print speed (ESAT): approx. 8.4ipm mono / approx. 4.8 ipm color
- 2pl (min.) ink droplets and 4800 x 1200dpi (max.) resolution
- 4 x 6" (4R) borderless photo in approx. 43secs.
- Capable of printing borderless photos up to A4 size
- Chromo Life 100+ technology photos can last up to 300 years
- Hybrid system pigment black ink ensures sharp black text and lines even when printed over an image

Scan

- 1200 x 2400dpi CIS
- Scanning Bit Depth up to 48bit (input) / 24bit (output)
- Scan directly to flash drive and memory card and save as pdf or jpg



InkPlus M - 1240



Note: All other or canon brand and product names are trademarks and/or registered trademarks of their respective owners.





InkPlus A - 1242



Copy

- New ISO / IEC 24735 Annex D standard for copy speed
- First Color Copy Out Time (FCOT): 37secs.
- Continuous copy speed: approx. 2.6cpm color / approx. 7.6cpm mono
- Reproduces identical second generation photos & document with Dual
 Color Gamut Processing Technology

Convenient

- Self-opening paper output tray
- 1.8" TFT colour display
- Quick Start allows you to begin operations a few seconds after powering on
- Auto Photo Fix II via Easy-Photo Print EX and MP Navigator EX; allows brightness of underexposed areas of photo to be optimized.

Model: A - 1242



Scan :-

- 600 x 1200dpi CIS
- Scanning Bit Depth at up-to 48bit (input) / 24bit (output)
- Auto Scan Mode allows automation of your scanning and saving procedures to three short steps

Copy:-

- New ISO / IEC 24735 Annex D standard for copy speed
- Copy speed (Continuous Copy): approx. 6.3cpm mono / approx. 2.7cpm color
- Reproduces identical second generation photos & document with Dual Color Gamut Processing. Technology.



Model: A – 1242



Take advantage of affordable A3+ printing for high-speed, high quality output of all your photos, documents and graphics - with long-lasting photo prints. The Single Ink system ensures added economy. Scan

Features

- Up to 18ppm mono, 14ppm colour (A4)
- A3+ photo lab quality print in approx. 166 sec. in Standard mode*
- Photo lab quality: max. 4800* x 1200dpi
- Sharp text, vibrant colour graphics
- ChromaLife100 for long-lasting photos*
- PictBridge-ready
- Single Ink system



InkPlus A - 1242

Model: A - 1242



Productive output

The InkPlus A-1242 delivers your A4 documents at up to 18ppm in mono and 14ppm in colour. Print on a range of sizes right up to A3+ and profit from fast output for all your work.

Print up to A3+

Print your photos in a variety of different sizes, all the way up to A3+. In approximately 166 seconds (Standard mode*) your photo lab quality print is ready to go. Also enjoy fast borderless photo printing!

Excellent print quality

Get detailed colour output for photos and everything else you print. The InkPlus A-1242 gives a 4800* x 1200 dpi print resolution, thanks to Canon's FINE technology with 2pl ink droplets.

Model : PSC – 1245



General Specifications

4800* (horizontal) X 1200 (vertical)

Printing resolution (dpi) * Ink droplets can be placed with a pitch of 1/4800 inch at

minimum.

InkPlus PSC - 1245

USB Port:

Hi-Speed USB *1

*1 A computer that complies with Hi-Speed USB standard is

required.

Since the Hi-Speed USB interface is fully upwardly compatible with USB 1.1, it can be used at USB 1.1.

Print width 8 inches/203.2 mm

(for Borderless Printing: 8.5 inches/216 mm)

Operating environment Temperature: 5 to 35 °C (41 to 95 °F)

Humidity: 10 to 90 % RH (no condensation)

Model : PSC – 1245



Power supply AC 100-240 V, 50/60 Hz

Printing (Copy): Approx. 12 W

Standby (minimum): Approx. 0.6 W *1*2

Power consumption OFF: Approx. 0.3 W *1

*1 USB connection to PC

*2 The wait time for standby cannot be changed.

Approx. 17.7 (W) X 12 (D) X 6 (H) inches

External dimensions Approx. 449 (W) X 304 (D) X 152 (H) mm

* With the Front Cover retracted.

Weight Approx. 5.3 kg (Approx. 11.7 lb)

* With the FINE Cartridges installed.

Canon FINE Cartridge Total 1792 nozzles (BK 640 nozzles, C/M/Y each 384 nozzles)



InkPlus PSC - 1245



Comparison:







Crisp text, bright colours

Get sharp and crisp black text with rich and vibrant colour graphics for all your documents, reports, web pages and other work. Expect professional and perfect print quality on a constant basis.

PictBridge-ready for direct photo printing

Print your photos directly from all PictBridge compatible digital cameras and camcorders, without the use of a computer quickly and easily.

Robust design

The robust design of the **InkPlus A-1242** provides reliable operation in all environments. A convenient 150-sheet Auto Feeder adds to overall ease. The printer is both Windows and Mac OS X compatible and features a USB2.0 Hi-Speed interface for rapid data transfer.

Saving Chart:



Please find herewith the Saving Chart, which describes, how much Money, you can Save with CISS Printer;

CIS Printer Model No.	Cost of Cartridges	Canon Cartridges Volume	Printing Output	CISS Printer Ink Kit Cost	CISS Printer Ink Bottle Volume	Printing Output
InkPlus CP- 1234	Canon Pixma-ip 2770 Rs. 2200/-	Black: 16 ML Color: 12 ML Total: 28 ML	Min : 150 Max: 400	Rs. 1000/-	1 Bottle Color: 100ML 4 Bottle Color Kit = 400 ML	Upto 15,000
InkPlus PSC- 1238-N (black)	Canon Pixma-mp 287 Rs-2200/-	Black: 16 ML Color: 12 ML Total: 28 ML	Min : 150 Max: 400	Rs. 1000/-	1 Bottle Color: 100ML 4 Bottle Color Kit = 400 ML	Upto 15,000

- Now customers can take out the print-out at their home/office of their various documents and Photos
- in the least cost of 0.05 Paisa per Print-out only. Nothing is cheaper as CISS Printing.

Printing Quality Via CISS Printer:



CISS Printer Printing Quality:-



under-exposed photo



Enhanced correction of underexposed photos

Thank You



Marketed by:

ISE CARDS INDIA LTD

(Division-InkPlus Printing Solutions)



3/106 Vivek Khand-3, Gomti Nagar, Lucknow-226010 (U.P.) India Tel: +91-522-2303663, 2303664; Fax: +91-522-2397710 E- Mail ID: inklplus@inkplus.co.in_info@isecard.asia;

Website: www.inkplus.co.in, www.isecard.asia, www.isecard.co.in, www.buktel.com, www.iseidcard.com

Joint-Venture with ISE Cards Inc, USA (Asia & Africa)











